

References

1. Berry JG, Toomey SL, Zaslavsky AM, Jha AK, Nakamura MM, Klein DJ, Feng JY, Shulman S, Chiang VK, Kaplan W, Hall M, Schuster MA. Pediatric readmission prevalence and variability across hospitals. *JAMA*. 2013;309(4):372–380.
2. Pelletier AJ, Mansbach JM, Camargo CA Jr. Direct medical costs of bronchiolitis hospitalizations in the United States. *Pediatrics*. 2006;118(6):2418–2423.
3. Mansbach JM, Emond JA, Camargo CA Jr. Bronchiolitis in US emergency departments 1992 to 2000: epidemiology and practice variation. *Pediatr Emerg Care*. 2005;21(4):242–247.
4. American Academy of Pediatrics Subcommittee on Diagnosis and Management of Bronchiolitis. Diagnosis and management of bronchiolitis. *Pediatrics*. 2006;118(4):1774–1793.
5. Carr S. Seasonal and pandemic influenza: an overview with pediatric focus. *Adv Pediatr*. 2012;59(1):75–93.
6. Chang ML, Jordan-Villegas A, Evans A, Bhore R, Brock E, Mejias A, Siegel JD. Respiratory viruses identified in an urban children's hospital emergency department during the 2009 influenza A(H1N1) pandemic. *Pediatr Emerg Care*. 2012;28(10):990–997.
7. Lee GE, Lorch SA, Sheffler-Collins S, Kronman MP, Shah SS. National hospitalization trends for pediatric pneumonia and associated complications. *Pediatrics*. 2010;126(2):204–213.
8. Jencks SF, Williams MV, Coleman EA. Rehospitalizations among patients in the Medicare fee-for-service program. *N Engl J Med*. 2009;360(14):1418–1428.
9. Wick EC, Shore AD, Hirose K, Ibrahim AM, Gearhart SL, Efron J, Weiner JP, Makary MA. Readmission rates and cost following colorectal surgery. *Dis Colon Rectum*. 2011;54(12):1475–1479.
10. Jiang HJ, Wier LM. All-cause hospital readmissions among non-elderly Medicaid patients, 2007: statistical brief #89. In: *Healthcare Cost and Utilization Project (HCUP) Statistical Briefs*. Rockville (MD): Agency for Health Care Policy and Research (US); 2006. Available at: <http://www.ncbi.nlm.nih.gov/books/NBK53601/>. Accessed October 23, 2013.
11. Kemper AR, Kennedy EJ, Dechert RE, Saint S. Hospital readmission for bronchiolitis. *Clin Pediatr (Phila)*. 2005;44(6):509–513.
12. Bhat N, Wright JG, Broder KR, Murray EL, Greenberg ME, Glover MJ, Likos AM, Posey DL, Klimov A, Lindstrom SE, Balish A, Medina M, Wallis TR, Guarner J, Paddock CD, Shieh W-J, Zaki SR, Sejvar JJ, Shay DK, Harper SA, Cox NJ, Fukuda K, Uyeki TM. Influenza-associated deaths among children in the United States, 2003-2004. *N Engl J Med*. 2005;353(24):2559–2567.

13. Griffin MR, Zhu Y, Moore MR, Whitney CG, Grijalva CG. U.S. hospitalizations for pneumonia after a decade of pneumococcal vaccination. *N Engl J Med*. 2013;369(2):155–163.
14. Weiss AK, Hall M, Lee GE, Kronman MP, Sheffler-Collins S, Shah SS. Adjunct corticosteroids in children hospitalized with community-acquired pneumonia. *Pediatrics*. 2011;127(2):e255–e263.
15. Brogan TV, Hall M, Williams DJ, Neuman MI, Grijalva CG, Farris RWD, Shah SS. Variability in processes of care and outcomes among children hospitalized with community-acquired pneumonia. *Pediatr Infect Dis J*. 2012;31(10):1036–1041.
16. Shudy M, de Almeida ML, Ly S, Landon C, Groft S, Jenkins TL, Nicholson CE. Impact of pediatric critical illness and injury on families: a systematic literature review. *Pediatrics*. 2006;118 Suppl 3:S203–218.
17. Rennick JE, Johnston CC, Dougherty G, Platt R, Ritchie JA. Children’s psychological responses after critical illness and exposure to invasive technology. *J Dev Behav Pediatr*. 2002;23(3):133–144.
18. Robbins JM, Kotagal UR, Kini NM, Mason WH, Parker JG, Kirschbaum MS. At-home recovery following hospitalization for bronchiolitis. *Ambul Pediatr*. 2006;6(1):8–14.
19. Committee on Identifying and Preventing Medication Errors, Institute of Medicine. *Preventing Medication Errors*. (Aspden P, Wolcott J, Bootman J, eds.). National Academies Press; 2006.
20. Committee on Quality of Health Care in America, Institute of Medicine. *To Err is Human: Building a Safer Health System*. (Kohn L, Corrigan J, eds.). National Academies Press; 2000.
21. Willson DF, Landrigan CP, Horn SD, Smout RJ. Complications in infants hospitalized for bronchiolitis or respiratory syncytial virus pneumonia. *J Pediatr*. 2003;143(5, Supplement):142–149.
22. Molinari N-AM, Ortega-Sanchez IR, Messonnier ML, Thompson WW, Wortley PM, Weintraub E, Bridges CB. The annual impact of seasonal influenza in the US: measuring disease burden and costs. *Vaccine*. 2007;25(27):5086–5096.
23. Ampofo K, Gesteland PH, Bender J, Mills M, Daly J, Samore M, Byington C, Pavia AT, Srivastava R. Epidemiology, complications, and cost of hospitalization in children with laboratory-confirmed influenza infection. *Pediatrics*. 2006;118(6):2409–2417.
24. Weycker D, Edelsberg J, Elizabeth Halloran M, Longini Jr. IM, Nizam A, Ciuryla V, Oster G. Population-wide benefits of routine vaccination of children against influenza. *Vaccine*. 2005;23(10):1284–1293.
25. Paladino JA, Adelman MH, Schentag JJ, Iannini PB. Direct costs in patients hospitalised with community-acquired pneumonia after non-response to outpatient treatment with macrolide antibacterials in the US. *Pharmacoeconomics*. 2007;25(8):677–683.

26. Worchel-Prevatt FF, Heffer RW, Prevatt BC, Miner J, Young-Saleme T, Horgan D, Lopez MA, Rae WA, Frankel L. A school reentry program for chronically ill children. *J Sch Psychol*. 1998;36(3):261–279.
27. Weitzman M, Klerman LV, Lamb G, Menary J, Alpert JJ. School absence: a problem for the pediatrician. *Pediatrics*. 1982;69(6):739–746.
28. Kearney CA. School absenteeism and school refusal behavior in youth: a contemporary review. *Clin Psychol Rev*. 2008;28(3):451–471.
29. Shaw SR, McCabe PC. Hospital-to-school transition for children with chronic illness: meeting the new challenges of an evolving health care system. *Psychol Sch*. 2008;45(1):74–87.
30. Christakis DA, Cowan CA, Garrison MM, Molteni R, Marcuse E, Zerr DM. Variation in inpatient diagnostic testing and management of bronchiolitis. *Pediatrics*. 2005;115(4):878–884.
31. Cheney J, Barber S, Altamirano L, Medico Cirujano, Cheney M, Williams C, Jackson M, Yates P, O'Rourke P, Wainwright C. A clinical pathway for bronchiolitis is effective in reducing readmission rates. *J Pediatr*. 2005;147(5):622–626.
32. Pillai D, Song X, Pastor W, Ottolini M, Powell D, Wiedermann BL, DeBiasi RL. Implementation and impact of a consensus diagnostic and management algorithm for complicated pneumonia in children. *J Investig Med*. 2011;59(8):1221–1227.
33. Dean NC, Bateman KA, Donnelly SM, Silver MP, Snow GL, Hale D. Improved clinical outcomes with utilization of a community-acquired pneumonia guideline. *Chest*. 2006;130(3):794–799.
34. Schmeida M, Savrin RA. Pneumonia rehospitalization of the Medicare fee-for-service patient: a state-level analysis: exploring 30-day readmission factors. *Prof Case Manag*. 2012;17(3):126–131.
35. Jones SS, Friedberg MW, Schneider EC. Health information exchange, health information technology use, and hospital readmission rates. *AMIA Annu Symp Proc*. 2011;2011:644–653.
36. Bacharier LB, Cohen R, Schweiger T, Yin-Declue H, Christie C, Zheng J, Schechtman KB, Strunk RC, Castro M. Determinants of asthma after severe respiratory syncytial virus bronchiolitis. *J Allergy Clin Immunol*. 2012;130(1):91–100.e3.
37. Effler PV. Every year is an influenza pandemic for children: can we stop them? *Pediatrics*. 2012;130(3):554–556.
38. Keren R, Zaoutis TE, Bridges CB, Herrera G, Watson BM, Wheeler AB, Licht DJ, Luan XQ, Coffin SE. Neurological and neuromuscular disease as a risk factor for respiratory failure in children hospitalized with influenza infection. *JAMA*. 2005;294(17):2188–2194.

39. Grijalva CG, Nuorti JP, Zhu Y, Griffin MR. Increasing incidence of empyema complicating childhood community-acquired pneumonia in the United States. *Clin Infect Dis*. 2010;50(6):805–813.
40. Englander H, Kansagara D. Planning and designing the care transitions innovation (C-Train) for uninsured and Medicaid patients. *J Hosp Med*. 2012;7(7):524–529.
41. Jackson CT, Trygstad TK, Dewalt DA, Dubard CA. Transitional care cut hospital readmissions for North Carolina Medicaid patients with complex chronic conditions. *Health Aff (Millwood)*. 2013;32(8):1407–1415.
42. Agency for Healthcare Research & Quality. Medicaid medical directors learning network. Available at: <http://www.ahrq.gov/policymakers/measurement/quality-by-state/mmdl.html>. Accessed October 1, 2013.
43. Massachusetts Executive Office of Health and Human Services. MassHealth Quality Exchange (MassQEX). Available at: <http://massqex.ehs.state.ma.us/massqex/index/hqi>. Accessed October 1, 2013.
44. Inglis SC, Clark RA, McAlister FA, Ball J, Lewinter C, Cullington D, Stewart S, Cleland JG. Structured telephone support or telemonitoring programmes for patients with chronic heart failure. *Cochrane Database Syst Rev Online*. 2010;(8):CD007228.
45. Phillips CO, Wright SM, Kern DE, Singa RM, Shepperd S, Rubin HR. Comprehensive discharge planning with postdischarge support for older patients with congestive heart failure: a meta-analysis. *JAMA*. 2004;291(11):1358–1367.
46. Scott IA. Preventing the rebound: improving care transition in hospital discharge processes. *Aust Health Rev*. 2010;34(4):445–451.
47. Shepperd S, Lannin NA, Clemson LM, McCluskey A, Cameron ID, Barras SL. Discharge planning from hospital to home. *Cochrane Database Syst Rev Online*. 2013;1:CD000313.
48. Sochalski J, Jaarsma T, Krumholz HM, Laramée A, McMurray JJV, Naylor MD, Rich MW, Riegel B, Stewart S. What works in chronic care management: the case of heart failure. *Health Aff (Millwood)*. 2009;28(1):179–189.
49. Anderson C, Deepak BV, Amoateng-Adjepong Y, Zarich S. Benefits of comprehensive inpatient education and discharge planning combined with outpatient support in elderly patients with congestive heart failure. *Congest Heart Fail*. 2005;11(6):315–321.
50. Balaban RB, Weissman JS, Samuel PA, Woolhandler S. Redefining and redesigning hospital discharge to enhance patient care: a randomized controlled study. *J Gen Intern Med*. 2008;23(8):1228–1233.
51. Coleman EA, Parry C, Chalmers S, Min S-J. The care transitions intervention: results of a randomized controlled trial. *Arch Intern Med*. 2006;166(17):1822–1828.
52. Evans RL, Hendricks RD. Evaluating hospital discharge planning: a randomized clinical trial. *Med Care*. 1993;31(4):358–370.

53. Jack BW, Chetty VK, Anthony D, Greenwald JL, Sanchez GM, Johnson AE, Forsythe SR, O'Donnell JK, Paasche-Orlow MK, Manasseh C, Martin S, Culpepper L. A reengineered hospital discharge program to decrease rehospitalization: a randomized trial. *Ann Intern Med.* 2009;150(3):178–187.
54. Naylor MD, Brooten DA, Campbell RL, Maislin G, McCauley KM, Schwartz JS. Transitional care of older adults hospitalized with heart failure: a randomized, controlled trial. *J Am Geriatr Soc.* 2004;52(5):675–684.
55. Naylor M, Brooten D, Jones R, Lavizzo-Mourey R, Mezey M, Pauly M. Comprehensive discharge planning for the hospitalized elderly. A randomized clinical trial. *Ann Intern Med.* 1994;120(12):999–1006.
56. Koehler BE, Richter KM, Youngblood L, Cohen BA, Prengler ID, Cheng D, Masica AL. Reduction of 30-day postdischarge hospital readmission or emergency department (ED) visit rates in high-risk elderly medical patients through delivery of a targeted care bundle. *J Hosp Med.* 2009;4(4):211–218.
57. Rich MW, Beckham V, Wittenberg C, Leven CL, Freedland KE, Carney RM. A multidisciplinary intervention to prevent the readmission of elderly patients with congestive heart failure. *N Engl J Med.* 1995;333(18):1190–1195.
58. Costantino ME, Frey B, Hall B, Painter P. The influence of a postdischarge intervention on reducing hospital readmissions in a Medicare population. *Popul Heal Manag.* 2013;16(5):310–316.
59. Flood KL, Maclennan PA, McGrew D, Green D, Dodd C, Brown CJ. Effects of an acute care for elders unit on costs and 30-day readmissions. *JAMA Intern Med.* 2013:1–7.
60. Leschke J, Panepinto JA, Nimmer M, Hoffmann RG, Yan K, Brousseau DC. Outpatient follow-up and rehospitalizations for sickle cell disease patients. *Pediatr Blood Cancer.* 2012;58(3):406–409.
61. Bradley EH, Curry L, Horwitz LI, Sipsma H, Wang Y, Walsh MN, Goldmann D, White N, Piña IL, Krumholz HM. Hospital strategies associated with 30-day readmission rates for patients with heart failure. *Circ Cardiovasc Qual Outcomes.* 2013;6(4):444–450.
62. Harrison PL, Hara PA, Pope JE, Young MC, Rula EY. The impact of postdischarge telephonic follow-up on hospital readmissions. *Popul Heal Manag.* 2011;14(1):27–32.
63. Markley J, Andow V, Sabharwal K, Wang Z, Fennell E, Dusek R. A project to reengineer discharges reduces 30-day readmission rates. *Am J Nurs.* 2013;113(7):55–64.
64. Berry JG, Ziniel SI, Freeman L, Kaplan W, Antonelli R, Gay J, Coleman EA, Porter S, Goldmann D. Hospital readmission and parent perceptions of their child's hospital discharge. *Int J Qual Health Care.* 2013;25(5):573–581.
65. Boulding W, Glickman SW, Manary MP, Schulman KA, Staelin R. Relationship between patient satisfaction with inpatient care and hospital readmission within 30 days. *Am J Manag Care.* 2011;17(1):41–48.

66. McHugh MD, Ma C. Hospital nursing and 30-day readmissions among Medicare patients with heart failure, acute myocardial infarction, and pneumonia. *Med Care*. 2013;51(1):52–59.
67. Carratalà J, Garcia-Vidal C, Ortega L, Fernández-Sabé N, Clemente M, Albero G, López M, Castellsagué X, Dorca J, Verdaguer R, Martínez-Montauti J, Manresa F, Gudiol F. Effect of a 3-step critical pathway to reduce duration of intravenous antibiotic therapy and length of stay in community-acquired pneumonia: a randomized controlled trial. *Arch Intern Med*. 2012;172(12):922–928.
68. Kotagal UR, Robbins JM, Kini NM, Schoettker PJ, Atherton HD, Kirschbaum MS. Impact of a bronchiolitis guideline: a multisite demonstration project. *Chest*. 2002;121(6):1789–1797.
69. Neuman MI, Hall M, Hersh AL, Brogan TV, Parikh K, Newland JG, Blaschke AJ, Williams DJ, Grijalva CG, Tyler A, Shah SS. Influence of hospital guidelines on management of children hospitalized with pneumonia. *Pediatrics*. 2012;130(5):e823–830.
70. Sandweiss DR, Mundorff MB, Hill T, Wolfe D, Greene T, Andrews S, Glasgow TS. Decreasing hospital length of stay for bronchiolitis by using an observation unit and home oxygen therapy. *JAMA Pediatr*. 2013;167(5):422–428.
71. Ralston S, Garber M, Narang S, Shen M, Pate B, Pope J, Lossius M, Croland T, Bennett J, Jewell J, Krugman S, Robbins E, Nazif J, Liewehr S, Miller A, Marks M, Pappas R, Pardue J, Quinonez R, Fine BR, Ryan M. Decreasing unnecessary utilization in acute bronchiolitis care: results from the value in inpatient pediatrics network. *J Hosp Med Off Publ Soc Hosp Med*. 2013;8(1):25–30.
72. Jha AK, Orav EJ, Epstein AM. Public reporting of discharge planning and rates of readmissions. *N Engl J Med*. 2009;361(27):2637–2645.
73. Ashton CM, Kuykendall DH, Johnson ML, Wray NP, Wu L. The association between the quality of inpatient care and early readmission. *Ann Intern Med*. 1995;122(6):415–421.
74. Fassel BA, Nkoy FL, Stone BL, Srivastava R, Simon TD, Uchida DA, Koopmeiners K, Greene T, Cook LJ, Maloney CG. The Joint Commission Children's Asthma Care quality measures and asthma readmissions. *Pediatrics*. 2012;130(3):482–491.
75. Chen JY, Ma Q, Chen H, Yermilov I. New bundled world: quality of care and readmission in diabetes patients. *J Diabetes Sci Technol*. 2012;6(3):563–571.
76. Bozic KJ, Maselli J, Pekow PS, Lindenauer PK, Vail TP, Auerbach AD. The influence of procedure volumes and standardization of care on quality and efficiency in total joint replacement surgery. *J Bone Joint Surg Am*. 2010;92(16):2643–2652.
77. Ludke RL, MacDowell NM, Booth BM, Hunter SA. Appropriateness of admissions and discharges among readmitted patients. *Health Serv Res*. 1990;25(3):501–525.
78. Tsai TC, Joynt KE, Orav EJ, Gawande AA, Jha AK. Variation in surgical-readmission rates and quality of hospital care. *N Engl J Med*. 2013;369(12):1134–1142.

79. Austin PC, Steyerberg EW. Interpreting the concordance statistic of a logistic regression model: relation to the variance and odds ratio of a continuous explanatory variable. *BMC Med Res Methodol.* 2012;12:82.
80. Steyerberg EW, Vickers AJ, Cook NR, Gerds T, Gonen M, Obuchowski N, Pencina MJ, Kattan MW. Assessing the performance of prediction models: a framework for traditional and novel measures. *Epidemiology.* 2010;21(1):128–138.
81. Horwitz L, Partovian C, Lin Z, Herrin J, Grady J, Conover M, Montague J, Dillaway C, Bartczak K, Suter L, Ross J, Bernheim S, Krumholz H, Drye E. *Hospital-Wide All-Cause Unplanned Readmission Measure: Final Technical Report.*; 2012. Available at: <https://www.qualitynet.org/dcs/ContentServer?c=Page&pagename=QnetPublic%2FPage%2FQnetTier4&cid=1228772504318>. Accessed September 20, 2013.
82. Grosso LM, Curtis JP, Lin Z, Geary LL, Vellanky S, Oladele C, Ott LS, Parzynski C, Bernheim S, Suter LG, Drye EE, Krumholz HM. *Hospital-level 30-Day All-Cause Risk-Standardized Readmission Rate Following Elective Primary Total Hip Arthroplasty (THA) And/Or Total Knee Arthroplasty (TKA): Measure Methodology Report.*; 2012. Available at: <http://www.qualitynet.org/dcs/ContentServer?c=Page&pagename=QnetPublic%2FPage%2FQnetTier4&cid=1228772504368>. Accessed September 23, 2013.
83. Grady JN, Lin Z, Wang C, Keenan M, Nwosu C, Bhat KR, Horwitz LI, Drye EE, Krumholz HM, Bernheim SM. *2013 Measures Updates and Specifications Report: Hospital-Level 30-Day Risk-Standardized Readmission Measures for Acute Myocardial Infarction, Heart Failure, and Pneumonia (Version 6.0).*; 2013. Available at: <https://www.qualitynet.org/dcs/ContentServer?cid=1163010421830&pagename=QnetPublic%2FPage%2FQnetTier4&c=Page>. Accessed September 23, 2013.
84. Rice-Townsend S, Hall M, Barnes JN, Lipsitz S, Rangel SJ. Variation in risk-adjusted hospital readmission after treatment of appendicitis at 38 children's hospitals: an opportunity for collaborative quality improvement. *Ann Surg.* 2013;257(4):758–765.
85. WWAMI Rural Health Research Center. UW RHRC rural urban commuting area codes - RUCA. Available at: <http://depts.washington.edu/uwruca/>. Accessed September 25, 2013.
86. Dartmouth Atlas Working Group. PCSA-RUCA (rural-urban commuting areas) designations. 2007. Available at: http://www.dartmouthatlas.org/downloads/pcsa/crosswalks/PCSA_RUCA_README.pdf. Accessed September 25, 2013.
87. APCD Council. Interactive state report map. Available at: <http://www.apcdouncil.org/state/map>. Accessed September 24, 2013.
88. Centers for Medicare & Medicaid Services. Medicaid Analytic eXtract (MAX) general information. 2013. Available at: <http://www.cms.gov/Research-Statistics-Data-and-Systems/Computer-Data-and-Systems/MedicaidDataSourcesGenInfo/MAXGeneralInformation.html>. Accessed October 7, 2013.

89. Bencio D. *Medicaid Analytic Extract Provider Characteristics (MAXPC) Evaluation Report, 2010 - Final Report*. Mathematica Policy Research; 2013. Available at: <http://www.mathematica-mpr.com/publications/>. Accessed September 24, 2013.
90. Fontanarosa PB, McNutt RA. Revisiting hospital readmissions. *JAMA*. 2013;309(4):398–400.
91. Clune S. Q&A: What Hospital Readmissions Statistics Mean For Consumers – Capsules - The KHN Blog and PBS News Hour. Available at: <http://capsules.kaiserhealthnews.org/index.php/2013/07/qa-what-hospital-readmissions-statistics-mean-for-consumers/>. Accessed September 12, 2013.
92. Ness D, Kramer W. Reducing Hospital Readmissions: It's About Improving Patient Care – Health Affairs Blog. 2013. Available at: <http://healthaffairs.org/blog/2013/08/16/reducing-hospital-readmissions-its-about-improving-patient-care/>. Accessed September 12, 2013.
93. AHIP Center for Policy and Research. *America's Health Insurance Plans - Innovations in Reducing Preventable Hospital Admissions, Readmissions, and Emergency Room Use*. Available at: <http://www.ahip.org/Innovations-in-Hospital-Readmissions/>. Accessed September 12, 2013.
94. Aizenman NC. Hospitals reduce share of patients who soon return. *The Washington Post*. February 28, 2013:A–SECTION; Pg. A06.
95. Zamosky L. HEALTHCARE WATCH; Avoid another hospital stay; Patients and their families can play a big role in preventing readmissions. *Los Angeles Times*. May 19, 2013:BUSINESS; Business Desk; Part B; Pg. 3.
96. Skinner C. Most of region's hospitals to get penalties for readmissions. *The Philadelphia Inquirer*. August 10, 2013:NATIONAL; P–com News for PC Home Page; Pg. A01.
97. Goodman DC, Fisher ES, Chang C-H. *The Revolving Door: A Report on U.S. Hospital Readmissions - Robert Wood Johnson Foundation*. Available at: <http://www.rwjf.org/en/research-publications/find-rwjf-research/2013/02/the-revolving-door--a-report-on-u-s--hospital-readmissions.html>. Accessed September 10, 2013.
98. Centers for Medicare & Medicaid Services. Hospital Compare - readmissions, complications and deaths. Available at: <http://www.medicare.gov/hospitalcompare/About/RCD.html>. Accessed September 19, 2013.
99. L & M Policy Research. Adding hospital readmission data to the Hospital Compare web tool. Available at: <http://www.lmpolicyresearch.com/case-study/incorporating-hospital-readmission-data-hospital-compare-web-tool>. Accessed September 12, 2013.
100. Agency for Healthcare Research & Quality. Best practices in public reporting no. 1: how to effectively present health care performance data to consumers. Available at: <http://www.ahrq.gov/legacy/qual/pubrptguide1.htm>. Accessed August 22, 2013.
101. Agency for Healthcare Research & Quality. Best practices in public reporting no. 2: maximizing consumer understanding of public comparative quality reports: effective use

of explanatory information. Available at: <http://www.ahrq.gov/professionals/quality-patient-safety/quality-resources/tools/pubrptguide2/index.html>. Accessed September 19, 2013.

102. Srivastava R, Keren R. Pediatric readmissions as a hospital quality measure. *JAMA*. 2013;309(4):396–398.
103. Alverson BK, O’Callaghan J. Hospital readmission: quality indicator or statistical inevitability? *Pediatrics*. 2013;132(3):569–570.
104. ResDAC. Strengths and limitations of CMS administrative data in research. Available at: <http://www.resdac.org/resconnect/articles/156>. Accessed October 12, 2013.