DET Quality Analysis Criteria	Lurie_Bobb	Lutheran_Gupta	Stroger_Garcia	FAQ Guidance Document
a. All cells should be filled out, even if		I would recommend that the site		n/a
"N/A"		complete all fields in the "Element",		
	•	"Question", and "Measure" tabs	•	
b. EHR Data source application (Does it				n/a
• • • • • • • • • • • • • • • • • • • •				11/4
make sense based on your knowledge	~	•	✓	
of the EHR?)				,
c. EHR Data Element Name (Doesn't				n/a
really matter, mostly so that when you				
need to ask questions they know what	✓	✓	✓	
they were assessing)				
d. Location in EHR Data	What type of search would you do	I would ask more questions about the		see page 7
	for a progress note? If abstracting a	(rows 17-20, Element tab) and how		see page /
	chart where would you look for a	they are able to calculate whether		
		'	✓	
and stored type, based on your	progress note (Element tab, rows 15-	symptoms are present from the	·	
knowledge of the EHR?)	19 and 27)	"documents tab"		
. Data Search Type and Stored Data	Discrepant response: The response	Discrepant response: The response	How do we know which documents contain this	see page 8
Type	could possibly be data search type:	could possibly be data search type:	information? Are the documents saved in a way	
•	vendor specific and stored data type:		that indicates that they contain information about	
	date	date. If the data search type: date	these data elements? (Element tab: rows 13-17	
	*The data search type/stored data	· · · · · · · · · · · · · · · · · · ·	and 20-28)	
		then you would not need a coding	anu 20-20)	
	type columns are rarely the same	system.		
	*For example (see Element tab, row	*The data search type/stored data		
. Coding system comments can be	9), in general, if birthdate is the same	type columns are rarely the same		n/a
here even if there is no code, could be	at the testing site and some other	*For example (see Element tab, row		
explaining that they plan to do code	site, then data search type: vendor	9), in general, if birthdate is the same		
napping soon	specific, but if the testing site built	at the testing site and some other		
	the functionality (rare) then data	site, then data search type: vendor	_	
	search type: organization specific	specific, but if the testing site built	•	
	scarcii type. organization specific	· · · · · · · · · · · · · · · · · · ·		
		the functionality (rare) then data		
		search type: organization specific		
g. Unit of measure (Must make sense	,	,	,	n/a
based on the data element)	~	~	✓	
n. Frequency (should make sense based	.4	.4	.4	n/a
on the data element)	~	→	✓	
. If EHR ability to calculate criteria is			This column must be assessed for each data	see page 9
Lim abinty to carculate triteria is				see page s
-			element. Did the site mean "No" when they	see page 3
no" there has to be comments in the	_		element. Did the site mean "No" when they indicated "N/A" for these rows? Please remember	see page 3
no" there has to be comments in the	~	✓	indicated "N/A" for these rows? Please remember	see page 3
no" there has to be comments in the	•	~	•	see page 3
no" there has to be comments in the next column	•	•	indicated "N/A" for these rows? Please remember that if this column is a "No" then the site should	
no" there has to be comments in the next column . Sites should not select EHR Exception	•	~	indicated "N/A" for these rows? Please remember that if this column is a "No" then the site should	n/a
'no" there has to be comments in the next column . Sites should not select EHR Exception presence of 'n/a' for numerator	•	V	indicated "N/A" for these rows? Please remember that if this column is a "No" then the site should	
no" there has to be comments in the next column Sites should not select EHR Exception presence of 'n/a' for numerator elements. These should be rated as	•	•	indicated "N/A" for these rows? Please remember that if this column is a "No" then the site should	
no" there has to be comments in the lext column Sites should not select EHR Exception presence of 'n/a' for numerator elements. These should be rated as yes' or 'no'.	•	•	indicated "N/A" for these rows? Please remember that if this column is a "No" then the site should	n/a
no" there has to be comments in the lext column Sites should not select EHR Exception presence of 'n/a' for numerator lements. These should be rated as yes' or 'no'.	•	~	indicated "N/A" for these rows? Please remember that if this column is a "No" then the site should	
no" there has to be comments in the lext column Sites should not select EHR Exception resence of 'n/a' for numerator lements. These should be rated as yes' or 'no'. If EHR Exception presence is Yes,	• • • • • • • • • • • • • • • • • • •	~	indicated "N/A" for these rows? Please remember that if this column is a "No" then the site should	n/a
no" there has to be comments in the lext column Sites should not select EHR Exception presence of 'n/a' for numerator elements. These should be rated as yes' or 'no'. If EHR Exception presence is Yes, there needs to be comments in column	• • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • •	indicated "N/A" for these rows? Please remember that if this column is a "No" then the site should	n/a
'no" there has to be comments in the next column . Sites should not select EHR Exception presence of 'n/a' for numerator elements. These should be rated as yes' or 'no'. c. If EHR Exception presence is Yes, there needs to be comments in column I.	• • • • • • • • • • • • • • • • • • •	• •	indicated "N/A" for these rows? Please remember that if this column is a "No" then the site should	n/a
no" there has to be comments in the next column Sites should not select EHR Exception presence of 'n/a' for numerator elements. These should be rated as yes' or 'no'. If EHR Exception presence is Yes, here needs to be comments in column in the column i	•	• • • • • • • • • • • • • • • • • • •	indicated "N/A" for these rows? Please remember that if this column is a "No" then the site should	n/a
no" there has to be comments in the lext column Sites should not select EHR Exception presence of 'n/a' for numerator elements. These should be rated as yes' or 'no'. If EHR Exception presence is Yes, there needs to be comments in column to the column of the column	• • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • •	indicated "N/A" for these rows? Please remember that if this column is a "No" then the site should	n/a
no" there has to be comments in the lext column Sites should not select EHR Exception presence of 'n/a' for numerator elements. These should be rated as yes' or 'no'. If EHR Exception presence is Yes, there needs to be comments in column in the column	•	• •	indicated "N/A" for these rows? Please remember that if this column is a "No" then the site should include a comment about why.	n/a n/a
no" there has to be comments in the ext column Sites should not select EHR Exception resence of 'n/a' for numerator lements. These should be rated as yes' or 'no'. If EHR Exception presence is Yes, here needs to be comments in column . Measure tab – if Technical Feasibility is Yes, all of element tab criteria should e yes able to calculate.	Although the site indicated that this	• • • • • • • • • • • • • • • • • • •	indicated "N/A" for these rows? Please remember that if this column is a "No" then the site should include a comment about why.	n/a n/a
no" there has to be comments in the ext column Sites should not select EHR Exception resence of 'n/a' for numerator lements. These should be rated as yes' or 'no'. If EHR Exception presence is Yes, here needs to be comments in column . Measure tab – if Technical Feasibility is Yes, all of element tab criteria should e yes able to calculate. n. Measure tab – if Technical	•	• • • • • • • • • • • • • • • • • • •	indicated "N/A" for these rows? Please remember that if this column is a "No" then the site should include a comment about why.	n/a n/a
no" there has to be comments in the ext column Sites should not select EHR Exception resence of 'n/a' for numerator lements. These should be rated as yes' or 'no'. If EHR Exception presence is Yes, here needs to be comments in column. Measure tab – if Technical Feasibility is Yes, all of element tab criteria should be yes able to calculate. 1. Measure tab – if Technical easibility is no, Implementation	Although the site indicated that this	• • • • • • • • • • • • • • • • • • •	indicated "N/A" for these rows? Please remember that if this column is a "No" then the site should include a comment about why.	n/a n/a
no" there has to be comments in the lext column Sites should not select EHR Exception resence of 'n/a' for numerator elements. These should be rated as yes' or 'no'. If EHR Exception presence is Yes, there needs to be comments in column . Measure tab – if Technical Feasibility is Yes, all of element tab criteria should be yes able to calculate. Measure tab – if Technical easibility is no, Implementation easibility has to be no as well.	Although the site indicated that this is "feasible, with workflow changes"	• • • • • •	indicated "N/A" for these rows? Please remember that if this column is a "No" then the site should include a comment about why. (Measure 1, Measure tab) "Feasible, can do today" responses do not make sense because site	n/a n/a
no" there has to be comments in the lext column Sites should not select EHR Exception resence of 'n/a' for numerator elements. These should be rated as yes' or 'no'. If EHR Exception presence is Yes, there needs to be comments in column . Measure tab – if Technical Feasibility is Yes, all of element tab criteria should be yes able to calculate. In. Measure tab – if Technical easibility is no, Implementation easibility has to be no as well. Measure tab – if either Technical or	Although the site indicated that this is "feasible, with workflow changes" in the Measure tab, the results of the Element tab indicate that this is not	• • • • • •	indicated "N/A" for these rows? Please remember that if this column is a "No" then the site should include a comment about why. (Measure 1, Measure tab) "Feasible, can do today" responses do not make sense because site indicated (in Element tab) that there are some data elements that cannot be captured. I would	n/a n/a
no" there has to be comments in the lext column Sites should not select EHR Exception presence of 'n/a' for numerator elements. These should be rated as yes' or 'no'. If EHR Exception presence is Yes, there needs to be comments in column to the column of the column	Although the site indicated that this is "feasible, with workflow changes" in the Measure tab, the results of the Element tab indicate that this is not an implementable type of measure	• • • • • • • • • • • • • • • • • • •	indicated "N/A" for these rows? Please remember that if this column is a "No" then the site should include a comment about why. (Measure 1, Measure tab) "Feasible, can do today" responses do not make sense because site indicated (in Element tab) that there are some	n/a n/a
no" there has to be comments in the lext column Sites should not select EHR Exception presence of 'n/a' for numerator lements. These should be rated as yes' or 'no'. If EHR Exception presence is Yes, there needs to be comments in column . Measure tab – if Technical Feasibility is Yes, all of element tab criteria should be yes able to calculate. In. Measure tab – if Technical easibility is no, Implementation easibility has to be no as well. Measure tab – if either Technical or implementation feasibility is anything but feasible today, then Feasibility	Although the site indicated that this is "feasible, with workflow changes" in the Measure tab, the results of the Element tab indicate that this is not an implementable type of measure due to the type of technical changes		indicated "N/A" for these rows? Please remember that if this column is a "No" then the site should include a comment about why. (Measure 1, Measure tab) "Feasible, can do today" responses do not make sense because site indicated (in Element tab) that there are some data elements that cannot be captured. I would	n/a n/a
no" there has to be comments in the lext column Sites should not select EHR Exception presence of 'n/a' for numerator lements. These should be rated as yes' or 'no'. If EHR Exception presence is Yes, there needs to be comments in column . Measure tab – if Technical Feasibility is Yes, all of element tab criteria should be yes able to calculate. In. Measure tab – if Technical easibility is no, Implementation easibility has to be no as well. Measure tab – if either Technical or implementation feasibility is anything but feasible today, then Feasibility	Although the site indicated that this is "feasible, with workflow changes" in the Measure tab, the results of the Element tab indicate that this is not an implementable type of measure		indicated "N/A" for these rows? Please remember that if this column is a "No" then the site should include a comment about why. (Measure 1, Measure tab) "Feasible, can do today" responses do not make sense because site indicated (in Element tab) that there are some data elements that cannot be captured. I would	n/a n/a
no" there has to be comments in the lext column Sites should not select EHR Exception resence of 'n/a' for numerator elements. These should be rated as yes' or 'no'. If EHR Exception presence is Yes, there needs to be comments in column in the column i	Although the site indicated that this is "feasible, with workflow changes" in the Measure tab, the results of the Element tab indicate that this is not an implementable type of measure due to the type of technical changes that would have to be made to the		indicated "N/A" for these rows? Please remember that if this column is a "No" then the site should include a comment about why. (Measure 1, Measure tab) "Feasible, can do today" responses do not make sense because site indicated (in Element tab) that there are some data elements that cannot be captured. I would request clarification about this measure.	n/a n/a n/a see page 10
no" there has to be comments in the lext column Sites should not select EHR Exception presence of 'n/a' for numerator elements. These should be rated as yes' or 'no'. If EHR Exception presence is Yes, there needs to be comments in column or the selection of t	Although the site indicated that this is "feasible, with workflow changes" in the Measure tab, the results of the Element tab indicate that this is not an implementable type of measure due to the type of technical changes that would have to be made to the		indicated "N/A" for these rows? Please remember that if this column is a "No" then the site should include a comment about why. (Measure 1, Measure tab) "Feasible, can do today" responses do not make sense because site indicated (in Element tab) that there are some data elements that cannot be captured. I would request clarification about this measure. Site should complete the comments column for	n/a n/a
'no" there has to be comments in the next column . Sites should not select EHR Exception presence of 'n/a' for numerator elements. These should be rated as yes' or 'no'. c. If EHR Exception presence is Yes, there needs to be comments in column r. . Measure tab – if Technical Feasibility s Yes, all of element tab criteria should be yes able to calculate. m. Measure tab – if Technical feasibility is no, Implementation feasibility has to be no as well. h. Measure tab – if either Technical or implementation feasibility is anything but feasible today, then Feasibility	Although the site indicated that this is "feasible, with workflow changes" in the Measure tab, the results of the Element tab indicate that this is not an implementable type of measure due to the type of technical changes that would have to be made to the		indicated "N/A" for these rows? Please remember that if this column is a "No" then the site should include a comment about why. (Measure 1, Measure tab) "Feasible, can do today" responses do not make sense because site indicated (in Element tab) that there are some data elements that cannot be captured. I would request clarification about this measure.	n/a n/a n/a see page 10
no" there has to be comments in the lext column Sites should not select EHR Exception presence of 'n/a' for numerator elements. These should be rated as yes' or 'no'. If EHR Exception presence is Yes, there needs to be comments in column or the selection of t	Although the site indicated that this is "feasible, with workflow changes" in the Measure tab, the results of the Element tab indicate that this is not an implementable type of measure due to the type of technical changes that would have to be made to the		indicated "N/A" for these rows? Please remember that if this column is a "No" then the site should include a comment about why. (Measure 1, Measure tab) "Feasible, can do today" responses do not make sense because site indicated (in Element tab) that there are some data elements that cannot be captured. I would request clarification about this measure. Site should complete the comments column for	n/a n/a n/a see page 10

Additional Comments	*Site should complete the Question	*Site should complete the Question	n/a	n/a
	tab	tab		
		*Columns F and H (Measure tab):		
		contain invalid answers		
		*row 34 and 35 (Element tab): site		
		indicates that they cannot capture		
		exceptions but they can capture the		
		data elements of the measure. I		
		would recommend a request for		
		clarification		